



Table of Contents

Table of Contents	i
Index of Tables	vii
Index of Figures	ix
1.0 Executive Summary	1-1
1.1 Introduction.....	1-1
1.2 Preferred Alternative Description.....	1-1
1.2.1 Project Location.....	1-1
1.2.2 Preferred Stations.....	1-1
1.2.3 Roadway Improvements.....	1-3
1.2.4 Transit Signal Priority.....	1-3
1.2.5 Operating/Service Plan.....	1-4
1.3 Summary of Public Involvement.....	1-4
1.4 Summary of Impacts.....	1-5
1.5 Project Costs.....	1-5
1.6 Construction Sequence.....	1-6
2.0 Commitments and Recommendations	2-1
2.1 Commitments.....	2-1
2.2 Recommendations.....	2-3
3.0 Project Location & Need	3-1
3.1 Project Location.....	3-1
3.1.1 Project History.....	3-1
3.1.2 Project Corridor.....	3-2
3.2 Project Need.....	3-2
3.2.1 Deficiencies.....	3-2
3.2.2 BRT Service.....	3-4
3.2.3 Safety.....	3-5
3.2.4 Consistency with Regional and Local Transportation Planning.....	3-5
3.2.5 Social and Economic Impacts.....	3-8
4.0 Summary of Existing Conditions	4-1
4.1 Typical Sections.....	4-1
4.1.1 Transit Facilities.....	4-1
4.1.2 Roadway Elements.....	4-3
4.2 Sidewalk, Bicycle, and Other Non-Vehicular Facilities.....	4-3
4.3 Modal Interrelationships.....	4-4
4.4 Corridor Characteristics.....	4-4
4.4.1 Right-of-Way.....	4-4
4.4.2 Intersections and Signalization.....	4-4
4.4.3 Lighting.....	4-7



4.4.4	Utilities.....	4-7
4.5	Environmental Conditions.....	4-7
4.5.1	Drainage Basin.....	4-7
4.5.2	Floodplains and Regulatory Floodways.....	4-7
4.5.3	Soils.....	4-10
4.5.4	Land Use.....	4-10
4.5.5	Cultural Resources.....	4-10
4.5.6	Parks and Recreation.....	4-16
4.5.7	Natural and Biological Features.....	4-16
4.5.7.1	Wetlands.....	4-16
4.5.7.2	Wildlife and Habitat.....	4-19
4.5.8	Air Quality.....	4-19
4.5.9	Noise.....	4-19
4.5.10	Contamination.....	4-19
5.0	BRT Design Guidelines & Criteria.....	5-1
5.1	Codes and Standards.....	5-1
5.2	Vehicle Characteristics.....	5-2
5.2.1	Vehicle Type.....	5-2
5.2.2	Operating Environment.....	5-2
5.2.3	Clearance Envelopes.....	5-3
5.2.4	Vehicle Weight and Passenger Loadings.....	5-3
5.2.5	Vehicle Dimensions.....	5-3
5.2.6	Passenger Capacity.....	5-3
5.3	Bus Station Design.....	5-4
5.3.1	Station Types.....	5-4
5.3.2	Shelter Layout.....	5-8
5.3.3	Right-of-Way Design Constraints.....	5-8
5.3.4	User Amenities.....	5-8
5.3.5	Passenger Information Systems.....	5-9
5.3.6	Fare Collection Equipment.....	5-9
5.3.7	Roadway Elements for Station Layout.....	5-9
5.4	Roadway Design Elements.....	5-10
5.5	FDOT Design Exceptions and Variations.....	5-12
6.0	Traffic.....	6-1
6.1	Transit Signal Priority.....	6-1
6.2	TSP Strategies and Logic.....	6-2
6.3	TSP System Components.....	6-3
6.3.1	Implementation.....	6-5
6.3.2	Locations for TSP.....	6-5
6.4	Existing Traffic.....	6-5
6.4.1	VISSIM Model Development and Calibration.....	6-7
6.4.2	Existing LOS.....	6-7
6.5	Future Traffic.....	6-10
6.6	BRT Assumptions.....	6-10
6.6.1	Transit Signal Priority Assumptions.....	6-11



6.7	Impact of Transit Signal Priority.....	6-12
6.7.1	System-wide TSP Results.....	6-15
6.7.2	Analysis Results for BRT.....	6-18
6.8	TSP Benefit-Cost Evaluation.....	6-24
6.9	Recommendations.....	6-25
6.9.1	System Benefits and Impacts with TSP.....	6-25
6.9.2	TSP Equipment.....	6-26
6.9.3	Estimate of Probable Costs.....	6-27
6.9.4	Institutional Management.....	6-27
6.9.5	HART Demonstration Project.....	6-27
7.0	Alternatives Analysis.....	7-1
7.1	No Project (No Build) Alternative.....	7-1
7.2	Study (Build) Alternatives.....	7-2
7.2.1	Service Plan.....	7-2
7.2.2	Prototype Station Design.....	7-2
7.2.3	Station Location Alternatives.....	7-3
7.2.4	Transit Signal Priority.....	7-10
7.2.5	Other Roadway / Pedestrian Improvements.....	7-10
7.2.5.1	Side Streets.....	7-11
7.2.5.2	Queue Jump Lanes.....	7-11
7.2.5.3	Bus Bays.....	7-12
7.2.5.4	Mid-Block Pedestrian Crossings.....	7-13
7.2.5.5	Other Pedestrian / Bicycle Improvements.....	7-13
7.3	Evaluation of Alternatives.....	7-14
7.3.1	Station Alternative Locations.....	7-14
7.3.2	Transit Signal Priority (TSP).....	7-18
7.3.3	Other Roadway / Pedestrian Improvements.....	7-19
7.3.3.1	Side Streets.....	7-19
7.3.3.2	Queue Jump Lanes.....	7-19
7.3.3.3	Bus Bays.....	7-20
7.3.3.4	Mid-Block Pedestrian Crossings.....	7-21
7.3.3.5	Other Pedestrian / Bicycle Improvements.....	7-21
7.4	Initially Recommended Alternative.....	7-21
7.4.1	Initially Recommended Station Alternatives.....	7-21
7.4.2	Compatibility with the Future East / West BRT Corridor.....	7-24
7.4.3	HART BRT Demonstration Ride.....	7-26
7.4.4	Other Roadway / Pedestrian Improvements.....	7-28
7.4.4.1	Side Streets.....	7-28
7.4.4.2	Queue Jump Lanes.....	7-29
7.4.4.3	Bus Bays.....	7-29
7.4.4.4	Mid-Block Pedestrian Crossings.....	7-29
7.4.4.5	Other Pedestrian / Bicycle Improvements.....	7-29
7.4.5	Local Agency Coordination.....	7-29
7.5	Preferred Alternatives.....	7-30
7.5.1	Station Locations.....	7-30
7.5.2	Other Roadway / Pedestrian Improvements.....	7-33



7.5.2.1	Side Streets.....	7-33
7.5.2.2	Queue Jump Lanes.....	7-33
7.5.2.3	Bus Bays.....	7-33
7.5.2.4	Mid-Block Pedestrian Crossings.....	7-33
7.5.2.5	Other Pedestrian / Bicycle Improvements.....	7-33

8.0	Preferred Alternative Analysis.....	8-1
8.1	Stations Design Analysis.....	8-1
8.1.1	Station Construction.....	8-1
8.1.2	System Branding.....	8-11
8.2	Other Roadway / Pedestrian Improvements.....	8-15
8.2.1	Side Streets.....	8-15
8.2.2	Queue Jump Lanes.....	8-15
8.2.3	Bus Bays.....	8-15
8.2.4	Mid-Block Pedestrian Crossings.....	8-15
8.2.5	Other Pedestrian / Bicycle Improvements.....	8-16
8.3	Right-of-Way.....	8-16
8.4	Relocations.....	8-17
8.5	Structures.....	8-18
8.6	Pedestrian and Bicycle Facilities.....	8-18
8.7	Safety.....	8-19
8.8	Construction and Preliminary Costs.....	8-19
8.9	Operations and Maintenance Costs.....	8-19
8.10	Utility Impacts.....	8-21
8.11	Lighting.....	8-22
8.12	Drainage.....	8-22
8.13	Maintenance of Traffic.....	8-23
8.14	Aesthetics and Landscaping.....	8-24
8.15	Construction Sequence.....	8-25
8.16	Other Related Studies and Design.....	8-25
9.0	Summary of Environmental Impacts.....	9-1
9.1	Community Impacts.....	9-1
9.1.1	Aesthetics.....	9-1
9.1.2	Economics.....	9-1
9.1.3	Land Use.....	9-1
9.1.4	Mobility.....	9-1
9.1.5	Relocation.....	9-2
9.1.6	Social.....	9-2
9.2	Cultural Resources.....	9-3
9.2.1	Neighborhoods.....	9-3
9.2.2	Parks and Recreation Facilities.....	9-3
9.2.3	Archaeological/Historical.....	9-3
9.3	Physical Impacts.....	9-4
9.3.1	Contamination.....	9-4
9.3.2	Air Quality.....	9-5
9.3.3	Noise.....	9-5



9.3.4	Construction	9-5
9.4	Natural Impacts	9-7
9.4.1	Wetlands	9-7
9.4.2	Aquatic Preserves	9-7
9.4.3	Water Quality	9-7
9.4.4	Outstanding Florida Waters	9-7
9.4.5	Wild and Scenic Rivers	9-8
9.4.6	Floodplains	9-8
9.4.7	Coastal Zone Consistency	9-8
9.4.8	Coastal Barrier Island Resources	9-8
9.4.9	Wildlife and Habitat	9-8
9.4.9.1	Threatened and Endangered Species	9-8
9.4.9.2	Essential Fish Habitat	9-8
9.4.10	Farmlands	9-10
9.4.11	Scenic Highways	9-10
10.0	Summary of Permits and Mitigation	10-1
11.0	Summary of Public Involvement	11-1
11.1	Agency Coordination Activities	11-1
11.2	Working Groups	11-1
11.2.1	Agency and Community Working Groups	11-1
11.2.1.1	Joint Kick-off / Alternatives Meeting	11-1
11.2.1.2	Preferred Station Location Meeting	11-2
11.2.2	Traffic Working Group	11-2
11.2.2.1	Meeting #1	11-2
11.2.2.2	Meeting #2	11-2
11.2.2.3	Meeting #3	11-2
11.2.2.4	Meeting #4	11-2
11.2.2.5	Meeting #5	11-2
11.3	Public Kick-Off / Alternatives Information Meeting	11-2
11.4	Preferred Alternatives Public Information Meeting	11-3
11.5	Other Activities	11-3
11.5.1	Newsletters	11-3
11.5.2	Website	11-4
11.5.3	Small Group Meetings	11-4



Appendices

- Appendix A List of Supporting Documents
- Appendix B Alternative Station Location Plans
- Appendix C Preferred Station Location Plans
- Appendix D Typical Section Package
- Appendix E Opinion of Probable Costs
- Appendix F SHPO Response Letter



Index of Tables

Table 1-1	Recommended Intersections for Stations.....	1-3
Table 1-2	TSP Intersections.....	1-4
Table 1-3	Summary of Public Meetings.....	1-5
Table 1-4	Summary of Environmental Impacts.....	1-5
Table 1-5	Summary of Project Costs.....	1-5
Table 3-1	Recommended Intersections for Stations.....	3-5
Table 4-1	HART Routes Intersecting with North / South BRT Corridor.....	4-5
Table 4-2	Existing Signalized Intersections within Project Corridor.....	4-6
Table 4-3	USDA Soils.....	4-10
Table 4-4	Protected Species Potentially Occurring in Project Corridor.....	4-20
Table 4-5	National Ambient Air Quality Standards (NAAQS).....	4-21
Table 4-6	Potential Contamination Sites.....	4-22
Table 5-1	Bus Clearance Envelope and Turning Radii.....	5-3
Table 5-2	BRT Vehicle Dimensions.....	5-4
Table 5-3	Station Amenities by Station Prototype.....	5-8
Table 5-4	BRT Stop Design Criteria.....	5-10
Table 5-5	Roadway Design Criteria.....	5-11
Table 5-6	Design Exceptions and Variations.....	5-12
Table 6-1	TSP Parameters.....	6-11
Table 6-2	TSP Events Statistics.....	6-15
Table 6-3	2013 AM Average Intersection Delay Comparison.....	6-16
Table 6-4	2013 AM Concurrent Movement Delay Comparison.....	6-16
Table 6-5	2013 AM Conflicting Movement Delay Comparison.....	6-16



Index of Tables (cont.)

Table 6-6	2013 PM Average Intersection Delay Comparison	6-17
Table 6-7	2013 PM Concurrent Movement Delay Comparison.....	6-17
Table 6-8	2013 PM Conflicting Movement Delay Comparison.....	6-17
Table 7-1	Station Prototypes by Location.....	7-3
Table 7-2	Station Evaluation Matrix.....	7-15
Table 7-3	VRT VISSIM Travel Time Savings.....	7-18
Table 8-1	Summary of Bus Bays.....	8-15
Table 8-2	Right-of-Way Required.....	8-17
Table 8-3	Summary of Structures.....	8-18
Table 8-4	Preliminary Construction Cost Estimate.....	8-20
Table 8-5	Operations Costs of North / South BRT through 2015.....	8-21
Table 9-1	Community Services Adjacent to BRT Stations.....	9-2
Table 9-2	Potential Contamination Locations.....	9-4
Table 10-1	Potential Permits Anticipated During Design.....	10-2



Index of Figures

Figure 1-1	Station Location Map.....	1-2
Figure 3-1	Location Map.....	3-3
Figure 3-2	Station Location Map.....	3-6
Figure 3-3	Vision 2016 Needs Plan.....	3-7
Figure 4-1	Station Location Map.....	4-2
Figure 4-2	SWFWMD Drainage Basins Map.....	4-8
Figure 4-3	FEMA Floodplain Map.....	4-9
Figure 4-4	USDA Soils Map.....	4-11
Figure 4-5	Existing Land Use.....	4-12
Figure 4-6	Hillsborough County Future Land Use Map.....	4-13
Figure 4-7	City of Tampa Future Land Use Map.....	4-14
Figure 4-8	City of Temple Terrace Future Land Use Map.....	4-15
Figure 4-9	Parks and Recreation Facilities.....	4-17
Figure 4-10	Natural Areas.....	4-18
Figure 5-1	Bus Clearance Envelope.....	5-3
Figure 5-2	BRT Vehicle Dimensions.....	5-4
Figure 5-3	Prototype C Station.....	5-5
Figure 5-4	Prototype B Station.....	5-6
Figure 5-5	Prototype A Station.....	5-7
Figure 6-1	TSP Green Time Extension Example.....	6-3
Figure 6-2	TSP Components and Communication.....	6-4
Figure 6-3	Traffic Signal Coordination.....	6-6
Figure 6-4	Existing Conditions AM Peak Hour Intersection Level of Service (VISSIM).....	6-8



Index of Figures (cont.)

Figure 6-5	Existing Conditions PM Peak Hour Intersection Level of Service (VISSIM)....	6-9
Figure 6-6	TSP Events During a Typical PM Peak Hour.....	6-14
Figure 6-7	Average Intersection, Conflicting and Concurrent AM Peak-System.....	6-19
Figure 6-8	Average Intersection, Conflicting and Concurrent PM Peak-System.....	6-19
Figure 6-9	AM Peak Conflicting Delay at Major Intersections – Nebraska Avenue.....	6-20
Figure 6-10	PM Peak Conflicting Delay at Major Intersections – Nebraska Avenue.....	6-20
Figure 6-11	2013 AM Peak Hour Intersection Level of Service – No TSP and TSP Alternatives.....	6-21
Figure 6-12	2013 PM Peak Hour Intersection Level of Service – No TSP and TSP Alternatives.....	6-22
Figure 6-13	BRT Travel Time – 2013 AM Peak.....	6-23
Figure 6-14	BRT Travel Time – 2013 PM Peak.....	6-23
Figure 8-1	BRT Branding – Bus & Logo.....	8-12
Figure 8-2	BRT Branding – Stations.....	8-13
Figure 8-1	BRT Branding – Totem & Ad Sign.....	8-14
Figure 9-1	Natural Areas.....	9-9